

AMENDMENTS TO THE CLAIMS

1. (Currently amended) A synthetic chloroprene rubber adhesive composition for adhering speaker components to a polypropylene speaker frame, which composition consists essentially of:

100 parts by weight of carboxylated synthetic chloroprene rubber as a main ingredient of the adhesive composition; and

1-30 parts by weight of chlorinated polypropylene and/or chlorinated polypropylene derivatives,

wherein said chlorinated polypropylene derivative is acrylic-monomer-and-methacrylic-monomer-grafted chlorinated polypropylene.

2. (Cancelled)

3. (Currently amended) A process for producing a speaker having a speaker frame formed by molding polypropylene, wherein speaker components are bonded to said speaker frame by using a synthetic chloroprene rubber adhesive composition, which composition consists essentially of:

100 parts by weight of carboxylated synthetic chloroprene rubber as a main ingredient of the adhesive composition; and

1-30 parts by weight of chlorinated polypropylene and/or a chlorinated polypropylene derivative,

wherein said chlorinated polypropylene derivative is acrylic-monomer-and-methacrylic-monomer-grafted chlorinated polypropylene.

4-6. (Cancelled)